

**IN THE UNITED STATES DISTRICT COURT
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA**

CHARLESTON DIVISION

IN RE: AMERICAN MEDICAL SYSTEMS, INC.,
PELVIC REPAIR SYSTEMS
PRODUCTS LIABILITY LITIGATION

MDL NO. 2325

THIS DOCUMENT RELATES TO THE FOLLOWING CASES:

<i>Serrano v. AMS, Inc., et al.</i>	2:12-cv-03719
<i>Jilovec v. AMS, Inc.</i>	2:12-cv-05561
<i>Weiler v. AMS, Inc.</i>	2:12-cv-05836
<i>Fontes, et al. v. AMS, Inc.</i>	2:12-cv-02472

**PRETRIAL ORDER # 139
(THIRD AMENDED DOCKET CONTROL ORDER –
FIRST AND SECOND ROUND OF BELLWETHERS)**


It is **ORDERED** that PTO # 87 is amended as follows: the trials settings¹ for the above bellwether cases are continued from April 7, 2014 at 8:30 a.m. and May 5, 2014 at 8:30 a.m. to **June 2, 2014 at 8:30 a.m. and July 7, 2014, at 8:30 a.m.**

The court **DIRECTS** the Clerk to file a copy of this order in 2:12-md-2325 and **in the following member cases:** 2:12-cv-3719; 2:12-cv-05561; 2:12-cv-05836; and 2:12-cv-02472 and it shall apply to each member related case previously transferred to, removed to, or filed in this district, which includes counsel in all member cases up to and including civil action number 2:14-cv-11980. In cases subsequently filed in this district, a copy of the most recent pretrial order will be provided by the Clerk to counsel appearing in each new action at the time of filing of the complaint. In cases subsequently removed or transferred to this court, a copy of the most

¹ By PTO # 100, I set the order of the bellwethers to be tried – *Serrano, Jilovec, Weiler and Fontes*.

recent pretrial order will be provided by the Clerk to counsel appearing in each new action upon removal or transfer. It shall be the responsibility of the parties to review and abide by all pretrial orders previously entered by the court. The orders may be accessed through the CM/ECF system or the court's website at www.wvsd.uscourts.gov.

ENTER: March 11, 2014



JOSEPH R. GOODWIN
UNITED STATES DISTRICT JUDGE